

**EC Declaration of Conformity**

The undersigned, representing the following supplier

and the authorised representative established within the Community

**Rockwell Automation, Inc.**  
1201 South 2<sup>nd</sup> Street  
Milwaukee, WI 53204  
USA

**Rockwell Automation, Division of  
Rockwell International GmbH**  
Düsseldorfer Str. 15  
D-42781 Haan Germany

herewith declare that the Products  
Product identification (brand and  
catalogue number/part number):

**PLC5 Product Family**  
**Allen-Bradley 1771/85 Series**  
(reference the attached list of catalogue numbers)

are in conformity with the provisions of the following EC Directive(s) when installed in accordance with the installation instructions contained in the product documentation:

94/9/EC	ATEX Directive
73/23/EEC	Low Voltage Directive as amended by 93/68/EEC
89/336/EEC	EMC Directive as amended by 92/31/EC and 93/68/EEC

and that the standards and/or technical specifications referenced below have been applied as indicated (Safety only):

EN 60079-15:2003	Electrical apparatus for explosive gas atmospheres - Part 15: Protection 'n' (ATEX only)
EN 61131-2:1994 (including amendment A11:1996) (including amendment A12:2000)	Programmable Controllers - Part 2: Equipment Requirements and Tests (LVD only)

Conformance via a Technical Construction File is declared using the following standards as indicated (EMC only):

EN 61326:1997 (including A1:1998, A2:2001, A3:2003)	Electrical Equipment For Measurement, Control, and Laboratory Use - Industrial EMC Requirements
EN 61000-6-2:2001	Electromagnetic Compatibility (EMC) - Part 6-2: Generic Standards - Immunity for Industrial Environments
EN 61000-6-4:2001	Electromagnetic Compatibility (EMC) - Part 6-4: Generic Standards - Emission Standard for Industrial Environments (Class A)
EN 50082-2:1995	Electromagnetic Compatibility - Generic Immunity Standard. Part 2: Industrial Environment

EMC Technical Construction File - TCF No:  
Maintained at:

1001.A dated 28 September 1995  
Competent Body:

Rockwell Automation, Inc.  
1 Allen-Bradley Drive  
Mayfield Heights, Ohio 44124-6118  
USA

Technology International (Europe) Ltd.  
41 Shrivenham Hundred Business Park  
Shrivenham, Swindon  
SN68TZ, UK

ATEX Provisions:

II 3 G (n A/C IIC) X


Year of CE Marking (Low Voltage Directive):

1995

Supplier:

Authorised Representative in the Community:



i.V. 

**Signature**

**Signature**

Name: John R. Mowry  
Position: Compliance Engineer  
Date: 29-Nov-2006

Name: Viktor Schiffer  
Position: Engineering Manager  
Date: 01-Dec-2006

Catalogue number	Series <sup>1</sup>	Description	CE Mark <sup>2</sup>		
			EMC	LV D	ATEX
1402 LS51	B	Synchronous Line Monitor Module	YES	YES	NO
1402 LS51X	B	Re-furbished, Synchronous Line Monitor Module	YES	YES	NO
1771-A1B	B	4 Slot I/O Chassis	YES	N/R	YES
1771-A1BK	B	Conformal Coated, 4 Slot I/O Chassis	YES	N/R	NO
1771-A2B	B	8 Slot I/O Chassis	YES	N/R	YES
1771-A2BK	B	Conformal Coated, 8 Slot I/O Chassis	YES	N/R	NO
1771-A3B	B	12 Slot, 19" Rack Mountable, I/O Chassis	YES	N/R	NO
1771-A3B1	B	12 Slot I/O Chassis	YES	N/R	YES
1771-A3B1K	B	Conformal Coated, 12 Slot I/O Chassis	YES	N/R	NO
1771-A3BK	B	Conformal Coated, 12 Slot, 19" Rack Mountable, I/O Chassis	YES	N/R	NO
1771-A4B	B	16 Slot I/O Chassis	YES	N/R	YES
1771-A4BK	B	Conformal Coated, 16 Slot I/O Chassis	YES	N/R	NO
1771-ACN	B	ControlNet Adapter Module	YES	N/R	NO
1771-ACN15	B	ControlNet 1.5 Adapter Module	YES	N/R	NO
1771-ACNR	B	Redundant ControlNet Adapter Module	YES	N/R	YES
1771-ACNR15	B	Redundant ControlNet 1.5 Adapter Module	YES	N/R	YES
1771-AF	B	Fiber Optic Converter Module	YES	N/R	NO
1771-AF1	B	Standalone Fiber Optic Converter Module	YES	YES	NO
1771-ALX		PLC-5 Local I/O Adapter Module	YES	N/R	NO
1771-ALXX		Conformal Coated, PLC-5 Local I/O Adapter Module	YES	N/R	NO
1771-AM1	B	1 Slot I/O Chassis with Integral Power Supply and I/O Adapter	YES	YES	NO
1771-AM2	B	2 Slot I/O Chassis with Integral Power Supply and I/O Adapter	YES	YES	NO
1771-ASB	E	PLC-2,-3,-5, Remote I/O Adapter Module	YES	N/R	YES
1771-ASBK	E	Conformal Coated, PLC-2,-3,-5 Remote I/O Adapter	YES	N/R	NO
1771-CFM	B	Configurable Flow Meter Module	YES	N/R	YES
1771-CFMK	B	Conformal Coated, Configurable Flow Meter Module	YES	N/R	NO
1771-DB	B	Basic Module	YES	N/R	NO
1771-DCM	B	Direct Communication Module	YES	N/R	NO
1771-DE	B	Absolute Encoder Module	YES	N/R	NO
1771-DL		Gray Encoder 12-24V Input Module	YES	N/R	NO
1771-DMC		Control Coprocessor-Main Module, 256kbyte	YES	N/R	NO
1771-DMC1		Control Coprocessor - Main Module, 1mbyte W/Ethernet	YES	N/R	NO
1771-DMC4		Control Coprocessor - Main Module, 4mbyte W/Ethernet	YES	N/R	NO
1771-DR		I/O Logic Controller Module	YES	N/R	NO
1771-DS	B	Latching, 8 Input Module, 10-27Vdc	YES	N/R	NO
1771-DW		7 Input, Wire Fault Module, 12-24Vdc	YES	N/R	NO
1771-DXPS		Control Coprocessor - Serial Expander Module	YES	N/R	NO
1771-ES	B	Servo Encoder Feedback Expander Module	YES	N/R	NO
1771-IA	C	8 Input, 120Vac/DC, Input Module	YES	YES	NO
1771-IAD	C	16 Input, 120Vac/DC, Input Module	YES	YES	NO
1771-IADK	C	Conformal Coated, 16 Input, 120Vac/DC, Input Module	YES	YES	NO
1771-IAN		32 Input, 120Vac, Input Module	YES	YES	NO
1771-IB		8 Input, 12-24Vdc, Input Module	YES	N/R	NO
1771-IBD	B	16 Input, 10-30Vdc, Input Module	YES	N/R	NO

<sup>1</sup> Products of the series level shown, or higher, are certified to the directives noted. If no series number is given, then all series are covered.

<sup>2</sup> No = Product is not certified to this directive.

Yes = Product is certified to this directive.

N/R = This directive is not required for this product (falls below applicable voltage levels).

Catalogue number	Series <sup>1</sup>	Description	CE Mark <sup>2</sup>		
			EMC	LV D	ATEX
1771-IBDK	B	Conformal Coated, 16 Input, 10-30Vdc, Input Module	YES	N/R	NO
1771-IBN	C	32 Input, 10-30Vdc, High-True Input Module	YES	N/R	YES
1771-IBNK	C	Conformal Coated, 32 Input, 10-30Vdc, High-True Input Mdl	YES	N/R	NO
1771-IC		8 Input, 48Vdc, Input Module	YES	N/R	NO
1771-ICD	B	16 Input, 20-60Vdc, Input Module	YES	N/R	NO
1771-ID16		120Vac Isolated Input Module	YES	YES	NO
1771-ID16GM		Customized 120Vac Isolated Input Module	YES	YES	NO
1771-ID16K		Conformal Coated, Isolated Input 120 Vac	YES	YES	NO
1771-IFE	B	16 Single-Ended/8 Differential, 12 Bit, Analog Input Module	YES	N/R	YES
1771-IFEK	B	Conformal Coated, 12 Bit, Analog Input Module	YES	N/R	NO
1771-IFF		16 Single-Ended/8 Differential, 12 Bit, Fast Analog Input Mdl	YES	N/R	NO
1771-IFM	B	Milivolt, Analog Input Module	YES	N/R	NO
1771-IFMS		Intrinsically Safe, Milivolt, Fast Analog Input Module	YES	N/R	NO
1771-IG		8 TTL Input, User Selectable High True/Low True, Input Mdl	YES	N/R	NO
1771-IGD		16 TTL Input, User Selectable High True/Low True, Input Mdl	YES	N/R	NO
1771-IJ		TTL, 5Vdc, Encoder/Counter Module	YES	N/R	NO
1771-IK		12-24Vdc, Encoder/Counter Module	YES	N/R	NO
1771-IL	C	8 Differential, 12 Bit, 1000V Isolation Analog Input Module	YES	N/R	NO
1771-ILK	C	Conformal Coated, 8 Dif, 12 Bit, 1kV Iso Analog Input Module	YES	N/R	NO
1771-IM		8 Input, 220V/240Vac/DC, Input Module	YES	YES	NO
1771-IMD	B	Input Module, 220Vac, 16 Input	YES	YES	NO
1771-IQ	B	8 Input, 5-30Vdc, Selectable, Input Module	YES	N/R	NO
1771-IQ16	B	24Vdc, Isolated, Input Module	YES	N/R	NO
1771-IQ16K	B	Conformal Coated, 24Vdc, Isolated, Input Module	YES	N/R	NO
1771-IR	C	3-Wire RTD, Input Module	YES	N/R	YES
1771-IRK	C	Conformal Coated, 3-Wire RTD, Input Module	YES	N/R	NO
1771-IS		72 Input, 5Vdc, Multiplexed, Input Module	YES	N/R	NO
1771-IT		8 Input, 12-24Vdc, Fast Response Input Module	YES	N/R	NO
1771-IVN	C	32 Input, 10-30Vdc, Low-True, Input Module	YES	N/R	NO
1771-IXE	C	8 Input, Thermocouple/mV, Type E/J/K/R/S/T, Input Module	YES	N/R	NO
1771-IXEK	C	Conformal Coated, 8 Input, Type E/J/K/R/S/T, Input Module	YES	N/R	NO
1771-IXHR	B	8 Input, High Resolution, Type B/E/J/K/R/S/T, Input Module	YES	N/R	NO
1771-M1		Stepper Motor Controller Module	YES	N/R	NO
1771-M3		Servo Controller Module	YES	N/R	NO
1771-NB4S	B	2 4-20ma Src In, 2 4-20ma Out, High Res Isolated Analog Mdl	YES	N/R	NO
1771-NB4T	B	2 TC/mV In, 2 4-20ma Out, High Res Isolated Analog Module	YES	N/R	NO
1771-NBRC	B	6 RTD In, 2 4-20ma Out, High Resolution Isolated Analog Mdl	YES	N/R	NO
1771-NBSC	B	6 4-20ma Src In, 2 4-20ma Out, High Res Isolated Analog Mdl	YES	N/R	NO
1771-NBTC	B	6 TC/mV In, 2 4-20ma Out, High Res Isolated Analog Module	YES	N/R	NO
1771-NBV1	B	6 ±10V In, 2 ±10V Out, High Res Isolated Analog Module	YES	N/R	NO
1771-NBVC	B	6 ±5V (4-20ma) In, 2 4-20ma Out, High Res Iso Analog Mdl	YES	N/R	NO
1771-NIS	B	8 Sourcing 4-20ma In, High Resolution Isolated Analog Mdl	YES	N/R	NO
1771-NIV	B	8 ±5v (4-20ma) In, High Resolution Isolated Analog Module	YES	N/R	NO
1771-NIV1	B	8 ±10v In, High Resolution Isolated Analog Module	YES	N/R	NO

<sup>1</sup> Products of the series level shown, or higher, are certified to the directives noted. If no series number is given, then all series are covered.

<sup>2</sup> No = Product is not certified to this directive.

Yes = Product is certified to this directive.

N/R = This directive is not required for this product (falls below applicable voltage levels).

Catalogue number	Series <sup>1</sup>	Description	CE Mark <sup>2</sup>		
			EMC	LV D	ATEX
1771-NIVR	B	4 ±5v(4-20ma) In, 4 RTD In, High Res Isolated Analog Module	YES	N/R	NO
1771-NIVT	B	4 ±5v(4-20ma) In, 4 TC/mV In, High Res Isolated Analog Mdl	YES	N/R	NO
1771-NOC	B	8 4-20ma Out, High Resolution Isolated Analog Module	YES	N/R	NO
1771-NOV	B	8 ±10v Out, High Resolution Isolated Analog Module	YES	N/R	NO
1771-NR	B	8 RTD In, High Resolution Isolated Analog Module	YES	N/R	NO
1771-NT1	B	8 TC/mV In, High Resolution Isolated Analog Module	YES	N/R	NO
1771-NT2	B	8 TC/-5 To +55mV In, High Resolution Isolated Analog Mdl	YES	N/R	NO
1771N-zzzzzzzz*	B	“Build to Order” Analog Module	YES	N/R	NO
1771-OAD	B	16 Output, 120Vac, Output Module	YES	YES	NO
1771-OADK	B	Conformal Coated, 16 Output, 120Vac, Output Module	YES	YES	NO
1771-OAN		32 Output, 120Vac, Output Module	YES	YES	NO
1771-OB	C	8 Output, 12-24Vdc, Output Module	YES	N/R	NO
1771-OBDB	C	16 Output, 10/60Vdc, Output Module	YES	N/R	YES
1771-OBDBK	C	Conformal Coated, 16 Output, 10/60Vdc, Output Module	YES	N/R	YES
1771-OBDS	B	10-20Vdc, Current Limiting Output Module	YES	N/R	YES
1771-OBDSK	B	Conformal Coated, 10-20Vdc, Current Limiting Output Mdl	YES	N/R	NO
1771-OBNS	B	32 Output, 10-30Vdc, High-True Output Module	YES	N/R	NO
1771-OBNSK	B	Conformal Coated, 32 Output, 10-30Vdc, Hi-True Output Mdl	YES	N/R	NO
1771-OC	C	8 Output, 48Vdc, Output Module	YES	N/R	NO
1771-OD16		120Vac, Isolated Output Module	YES	YES	NO
1771-OD16K		Conformal Coated, 120Vac, Isolated Output Module	YES	YES	NO
1771-ODD		16 Output, 120Vac, Isolated Output Module	YES	YES	NO
1771-ODDK		Conformal Coated, 16 Output, 120Vac, Isolated Output Mdl	YES	YES	NO
1771-OEM1		Intelligent HW Platform Module	YES	N/R	NO
1771-OFE1	B	4 Differential Voltage Out, 12 Bit, 1kV Iso, Analog Output Mdl	YES	N/R	YES
1771-OFE1K	B	Conformal Coated, 4 Differential, 12 Bit, 1kV, Analog Out Mdl	YES	N/R	NO
1771-OFE2	B	4 Differential, 1kV Iso, 4-20ma, 12 Bit, Analog Output Mdl	YES	N/R	YES
1771-OFE2K	B	Conformal Coated, 4 Dif, 1kV, 4-20ma, Analog Output Mdl	YES	N/R	NO
1771-OFE3	B	4 Differential, 1kV Iso, 0-50ma, 12 Bit, Analog Output Mdl	YES	N/R	YES
1771-OG		8 TTL Output, User Selectable High/Low True, Output Module	YES	N/R	NO
1771-OGD	B	16 TTL Output, User Selectable High/Low True, Output Mdl	YES	N/R	NO
1771-OJ		Pulse Output Expander module	YES	N/R	NO
1771-OM		8 Driver/Source Output, 220/240Vac, Output Module	YES	YES	NO
1771-OMD	B	16 Output, 220Vac, Output Module	YES	YES	NO
1771-OND	B	16 Output, 24Vac, Output Module	YES	N/R	NO
1771-OQ	B	8 Output, 24Vdc, Isolated (4 Groups) Output Module	YES	N/R	NO
1771-OQ16	B	24Vdc, Isolated Output Module	YES	N/R	NO
1771-OQ16K	B	Conformal Coated, 24Vdc, Isolated Output Module	YES	N/R	NO
1771-OR		6 Outputs, 220Vac, Isolated Output Module	YES	YES	NO
1771-OVN	B	32 Outputs, 10-30Vdc, Low-True, Output Module	YES	N/R	NO
1771-OW		8 NO/NC Selectable Contact Output Module	YES	YES	NO
1771-OW16	B	16 Point (8 NO, 8 Selectable) Isolated Contact Output Module	YES	YES	NO

\* This is a “Build to Order” product where the final suffix may contain various combinations of numbers and letters.

<sup>1</sup> Products of the series level shown, or higher, are certified to the directives noted. If no series number is given, then all series are covered.

<sup>2</sup> No = Product is not certified to this directive.

Yes = Product is certified to this directive.

N/R = This directive is not required for this product (falls below applicable voltage levels).

Catalogue number	Series <sup>1</sup>	Description	CE Mark <sup>2</sup>		
			EMC	LV D	ATEX
1771-OW16K	B	Conformal Coated, 16 Point Isolated Contact Output Module	YES	YES	NO
1771-OWK		Conformal Coated, 8 NO/NC Selectable Contact Output Mdl	YES	YES	NO
1771-OWN		32 Point, Selectable Contact Output Module	YES	YES	NO
1771-OWNA		32 Point (Normally Open), Contact Output Module	YES	YES	NO
1771-OYL		0-24V, Reed Relay Contact Output Module	YES	N/R	NO
1771-OZL		0-24V, Reed Relay Contact Output Module	YES	N/R	NO
1771-OZLK		Conformal Coated, 0-24V, Reed Relay Contact Output Module	YES	N/R	NO
1771-P4R	C	Slot Power Supply, Redundant, 8A, 120Vac	YES	YES	NO
1771-P4RK	C	Conformal Coated, Slot Power Supply, Redundant, 8A, 120Vac	YES	YES	NO
1771-P4S	B	Slot Power Supply, 8A, 120Vac	YES	YES	NO
1771-P4S1	B	Slot Power Supply, 8A, 100Vac	YES	YES	NO
1771-P4SK	B	Conformal Coated, Slot Power Supply, 8A, 120Vac	YES	YES	NO
1771-P5E	B	Slot Power Supply, 8A, 24Vdc	YES	N/R	YES
1771-P5EK	B	Conformal Coated, Slot Power Supply, 8A, 24Vdc	YES	N/R	NO
1771-P6R	C	Slot Power Supply, Redundant, 8A, 220Vac	YES	YES	NO
1771-P6S	B	Slot Power Supply, 8A, 220Vac	YES	YES	NO
1771-P6S1	B	Slot Power Supply, 8A,220Vac	YES	YES	NO
1771-P7	C	Power Supply, 16A, 120/220Vac	YES	YES	NO
1771-P7K	C	Conformal Coated, Power Supply, 16A, 120/220Vac	YES	YES	NO
1771-PSC		4 Slot Power Supply Chassis	YES	N/R	NO
1771-QA		Stepper Motor Positioning Assembly w/1771-OJ & M1	YES	N/R	NO
1771-QC		Servo Positioning Assembly, Encoder Feedback w/1771-ES/M3	YES	N/R	NO
1771-SDN	B	2-Channel DeviceNet Scanner Module	YES	N/R	NO
1771-SIM		8 Point Discrete Input/Output Simulator Module	YES	N/R	NO
1771-SN	B	Sub I/O Scanner Module	YES	N/R	NO
1771-TCM	C	Temperature Control Module	YES	N/R	NO
1771-TCMR		RTD Temp Control Module	YES	N/R	NO
1771-VHSC	B	Very High Speed Counter Module	YES	N/R	NO
1771-VHSCK	B	Conformal Coated, Very High Speed Counter Module	YES	N/R	NO
1771-WS	B	Single Vessel, 0-30mv, Weigh Scale Module	YES	N/R	NO
1785-BCM	C	PLC-5 Back-Up Communications Module	YES	N/R	NO
1785-BEM	B	PLC-5 Backup Communications Expansion Module	YES	N/R	NO
1785-CHBM		ControlNet 1.5 Hot Backup Memory Cartridge	YES	N/R	NO
1785-ENET		PLC-5 Ethernet Interface Module	YES	N/R	YES
1785-KA		Data Hwy/Data Hwy Plus Interface Module	YES	N/R	NO
1785-KA5	B	Communication Module Data Hwy Plus To Data Hwy 485	YES	N/R	NO
1785-KA5P	B	Communication Module, Panel Mount DH+ To DH-405	YES	YES	NO
1785-KE	C	Data Hwy Plus RS-232C Interface Module	YES	N/R	YES
1785-L11B	D	PLC-5/11 Controller, 8k Word SRAM	YES	N/R	NO
1785-L20B	D	PLC-5/20 Controller, 16k Word SRAM	YES	N/R	NO
1785-L20BK	D	Conformal Coated, PLC-5/20 Controller, 16k Word SRAM	YES	N/R	NO
1785-L20C	D	PLC-5/20C For ControlNet Phase 1.25	YES	N/R	YES
1785-L20C15	D	PLC-5/20C For ControlNet Phase 1.5	YES	N/R	YES
1785-L20E	D	Ethernet PLC-5/20 Controller, 16k Word SRAM	YES	N/R	NO

<sup>1</sup> Products of the series level shown, or higher, are certified to the directives noted. If no series number is given, then all series are covered.

<sup>2</sup> No = Product is not certified to this directive.

Yes = Product is certified to this directive.

N/R = This directive is not required for this product (falls below applicable voltage levels).

Catalogue number	Series <sup>1</sup>	Description	CE Mark <sup>2</sup>		
			EMC	LV D	ATEX
1785-L26B	D	Protected PLC-5/20 Controller, 16k Word SRAM	YES	N/R	NO
1785-L30B	D	PLC-5/30 Controller, 32k Word SRAM	YES	N/R	NO
1785-L40B	D	PLC-5/40 Controller, 48k Word SRAM	YES	N/R	YES
1785-L40BK	D	Conformal Coated, PLC-5/40 Controller, 48k Word SRAM	YES	N/R	NO
1785-L40C	D	PLC-5/40C For ControlNet Phase 1.25	YES	N/R	YES
1785-L40C15	D	PLC-5/40C For ControlNet Phase 1.5	YES	N/R	YES
1785-L40E	D	Ethernet PLC-5/40 Controller, 48k Word SRAM	YES	N/R	YES
1785-L40L	D	Extended Local PLC5/40, 48k Word SRAM	YES	N/R	NO
1785-L46B	D	Protected PLC-5/40 Controller, 48k Word SRAM	YES	N/R	NO
1785-L46C15	E	Protected ControlNet PLC-5/40 Controller, 48k Word	YES	N/R	NO
1785-L46L	D	Protected Local PLC5/40, 48k Word SRAM	YES	N/R	NO
1785-L60B	D	PLC-5/60 Controller, 64k Word SRAM	YES	N/R	NO
1785-L60C	D	PLC-5/60C For ControlNet Phase 1.25	YES	N/R	NO
1785-L60C15	D	PLC-5/60C For ControlNet Phase 1.5	YES	N/R	NO
1785-L60L	D	Extended Local PLC-5/60 Controller, 64k Word SRAM	YES	N/R	NO
1785-L80B	D	PLC-5/80 Controller, 100k Word SRAM	YES	N/R	NO
1785-L80BK	D	Conformal Coated, PLC-5/80 Controller, 100k Word SRAM	YES	N/R	NO
1785-L80C	D	PLC-5/80C For ControlNet Phase 1.25	YES	N/R	NO
1785-L80C15	D	PLC-5/80C For ControlNet Phase 1.5	YES	N/R	YES
1785-L80E	D	Ethernet PLC-5/80 Controller, 100k Word SRAM	YES	N/R	NO
1785-L86B	D	Protected PLC-5/80 Controller, 100k Word SRAM	YES	N/R	NO
1785-M100		PLC-5/80 EEPROM Memory Cartridge, 100k	YES	N/R	NO
1785-M100K		Conformal Coated 5/80 128 KWord EEPROM	YES	N/R	NO
1785-ME16		PLC-5/11/20 24k EEPROM Cartridge, A/J, B/F, C/C or above	YES	N/R	NO
1785-ME16K		Conformal Coated PLC-5/11/20 24k EEPROM Cartridge	YES	N/R	NO
1785-ME32		PLC-5/30 40k EEPROM Cartridge, A/J, B/F, C/C Or above	YES	N/R	NO
1785-ME32K		Conformal Coated PLC-5/30 40k EEPROM Cartridge	YES	N/R	NO
1785-ME64		PLC-5/40/60 72k EEPROM Cartridge, A/J, B/F, C/C Or above	YES	N/R	NO
1785-ME64K		Conformal Coated PLC-5/40/60 72k EEPROM Cartridge	YES	N/R	NO
1785-NEX		Nexus Communications Module	YES	N/R	NO
1785-O5E		PLC5 802.3 OSI Interface	YES	N/R	NO
1785-PFB	B	ProfiBus Scanner Module	YES	N/R	NO
1785-RC		Specialized 120Vac Relay Cartridge	YES	YES	NO
1785-TR10B2		AUI To Thin Wire Ethernet Transceiver	YES	N/R	NO
1785-TR10B5		AUI To Thick Wire Ethernet Transceiver	YES	N/R	NO
1785-TR10BF		AUI To Fiber Optic Ethernet Transceiver	YES	N/R	NO
1785-TR10BT		AUI To Twisted Pair Ethernet Transceiver	YES	N/R	NO
1897-NOV		Fast Analog Voltage Output Module	YES	N/R	NO
2760-RB		Flexible Interface Analog Input Module	YES	N/R	NO
6690-DS2	C	DS+/A/S-2Ch Communications Module	YES	N/R	NO

<sup>1</sup> Products of the series level shown, or higher, are certified to the directives noted. If no series number is given, then all series are covered.

<sup>2</sup> No = Product is not certified to this directive.

Yes = Product is certified to this directive.

N/R = This directive is not required for this product (falls below applicable voltage levels).