

## EC Declaration of Conformity

The undersigned, representing the manufacturer

**Rockwell Automation, Inc.**  
1201 South 2nd Street  
Milwaukee, WI 53204  
USA

and the authorised representative established within the  
Community

**Rockwell Automation BV**  
Rivium 1e Straat, 23  
2909 LE Capelle aan den IJssel  
Netherlands

herewith declare that the Products **PLC5 Product Family**

Product identification (brand and catalogue number/part number): **Allen-Bradley 1771/85 Series**  
(reference the attached list of catalogue numbers)

---

are in conformity with the essential requirements of the following EC Directive(s) when installed in accordance with the installation instructions contained in the product documentation:

94/9/EC	ATEX Directive
2006/95/EC	Low Voltage Directive (LVD)
2004/108/EC	EMC Directive

---

and that the standards and/or technical specifications referenced below have been applied as indicated:

EN 60079-15:2005	Electrical apparatus for explosive gas atmospheres – Part 15: Type of protection ‘n’ (ATEX)
EN 60079-0:2006	Electrical apparatus for explosive gas atmospheres – Part 0: General requirements (ATEX)
EN 61131-2:1994 (including amendment A11:1996) (including amendment A12:2000)	Programmable Controllers – Part 2: Equipment Requirements and Tests (LVD only)
EN 61131-2:2007	Programmable controllers – Part 2: Equipment requirements and tests (Clause 8, Zone A & B EMC only)
EN 61326-1:2006	Electrical equipment for measurement, control and laboratory use – EMC requirements – Part 1: General requirements (Industrial)
EN 61000-6-4:2007	Electromagnetic Compatibility (EMC) – Part 6-4: Generic Standards – Emission Standard for Industrial Environments (Class A)
EN 61000-6-2:2005	Electromagnetic Compatibility (EMC) – Part 6-2: Generic Standards – Immunity for Industrial Environments

---

ATEX: II 3 G (nA/C IIC)

---

Year of CE Marking (Low Voltage Directive): 1995


---

Manufacturer: Authorised Representative in the Community:



Signature

Name: John R. Mowry  
Position: Compliance Engineer  
Date: 08-Nov-2010



Signature

Name: Viktor Schiffer  
Position: Engineering Manager  
Date: 09-Nov-2010

Catalogue number	Series <sup>1</sup>	Description	Directive <sup>2</sup>		
			EMC	LVD	ATEX
1402 LS51	B	Synchronous Line Monitor Module	Yes	Yes	No
1402 LS51X	B	Re-furbished, Synchronous Line Monitor Module	Yes	Yes	No
1771-A1B	B	4 Slot I/O Chassis	Yes	N/R	Yes
1771-A1BK	B	Conformal Coated, 4 Slot I/O Chassis	Yes	N/R	No
1771-A2B	B	8 Slot I/O Chassis	Yes	N/R	Yes
1771-A2BK	B	Conformal Coated, 8 Slot I/O Chassis	Yes	N/R	No
1771-A3B	B	12 Slot, 19" Rack Mountable, I/O Chassis	Yes	N/R	No
1771-A3B1	B	12 Slot I/O Chassis	Yes	N/R	Yes
1771-A3B1K	B	Conformal Coated, 12 Slot I/O Chassis	Yes	N/R	No
1771-A3BK	B	Conformal Coated, 12 Slot, 19" Rack Mountable, I/O Chassis	Yes	N/R	No
1771-A4B	B	16 Slot I/O Chassis	Yes	N/R	Yes
1771-A4BK	B	Conformal Coated, 16 Slot I/O Chassis	Yes	N/R	No
1771-ACN	B	ControlNet Adapter Module	Yes	N/R	No
1771-ACN15	B	ControlNet 1.5 Adapter Module	Yes	N/R	No
1771-ACNR	B	Redundant ControlNet Adapter Module	Yes	N/R	Yes
1771-ACNR15	B	Redundant ControlNet 1.5 Adapter Module	Yes	N/R	Yes
1771-AF	B	Fiber Optic Converter Module	Yes	N/R	No
1771-AF1	B	Standalone Fiber Optic Converter Module	Yes	Yes	No
1771-ALX		PLC-5 Local I/O Adapter Module	Yes	N/R	No
1771-ALXK		Conformal Coated, PLC-5 Local I/O Adapter Module	Yes	N/R	No
1771-AM1	B	1 Slot I/O Chassis with Integral Power Supply and I/O Adapter	Yes	Yes	No
1771-AM2	B	2 Slot I/O Chassis with Integral Power Supply and I/O Adapter	Yes	Yes	No
1771-ASB	E	PLC-2,-3,-5, Remote I/O Adapter Module	Yes	N/R	Yes
1771-ASBK	E	Conformal Coated, PLC-2,-3,-5 Remote I/O Adapter	Yes	N/R	No
1771-CFM	B	Configurable Flow Meter Module	Yes	N/R	Yes
1771-CFMK	B	Conformal Coated, Configurable Flow Meter Module	Yes	N/R	No
1771-DB	B	Basic Module	Yes	N/R	No
1771-DCM	B	Direct Communication Module	Yes	N/R	No
1771-DE	B	Absolute Encoder Module	Yes	N/R	No
1771-DL		Gray Encoder 12-24V Input Module	Yes	N/R	No
1771-DMC		Control Coprocessor-Main Module, 256kbyte	Yes	N/R	No
1771-DR		I/O Logic Controller Module	Yes	N/R	No
1771-DS	B	Latching, 8 Input Module, 10-27Vdc	Yes	N/R	No
1771-DW		7 Input, Wire Fault Module, 12-24Vdc	Yes	N/R	No
1771-DXPS		Control Coprocessor - Serial Expander Module	Yes	N/R	No
1771-ES	B	Servo Encoder Feedback Expander Module	Yes	N/R	No
1771-IA	C	8 Input, 120Vac/DC, Input Module	Yes	Yes	No
1771-IAD	C	16 Input, 120Vac/DC, Input Module	Yes	Yes	No
1771-IADK	C	Conformal Coated, 16 Input, 120Vac/DC, Input Module	Yes	Yes	No
1771-IAN		32 Input, 120Vac, Input Module	Yes	Yes	No
1771-IB		8 Input, 12-24Vdc, Input Module	Yes	N/R	No
1771-IBD	B	16 Input, 10-30Vdc, Input Module	Yes	N/R	No
1771-IBDK	B	Conformal Coated, 16 Input, 10-30Vdc, Input Module	Yes	N/R	No
1771-IBN	C	32 Input, 10-30Vdc, High-True Input Module	Yes	N/R	Yes
1771-IBNK	C	Conformal Coated, 32 Input, 10-30Vdc, High-True Input Mdl	Yes	N/R	No

<sup>1</sup> Products of the series level shown, or higher, are certified to the directives noted. If no series number is given, then all series are covered.

<sup>2</sup> No = Product is not certified to this directive.

Yes = Product is certified to this directive.

N/R = This directive is not required for this product (falls below applicable voltage levels).

Catalogue number	Series <sup>1</sup>	Description	Directive <sup>2</sup>		
			EMC	LVD	ATEX
1771-IC		8 Input, 48Vdc, Input Module	Yes	N/R	No
1771-ICD	B	16 Input, 20-60Vdc, Input Module	Yes	N/R	No
1771-ID16		120Vac Isolated Input Module	Yes	Yes	No
1771-ID16GM		Customized 120Vac Isolated Input Module	Yes	Yes	No
1771-ID16K		Conformal Coated, Isolated Input 120 Vac	Yes	Yes	No
1771-IFE	B	16 Single-Ended/8 Differential, 12 Bit, Analog Input Module	Yes	N/R	Yes
1771-IFEK	B	Conformal Coated, 12 Bit, Analog Input Module	Yes	N/R	No
1771-IFF		16 Single-Ended/8 Differential, 12 Bit, Fast Analog Input Mdl	Yes	N/R	No
1771-IFM	B	Millivolt, Analog Input Module	Yes	N/R	No
1771-IG		8 TTL Input, User Selectable High True/Low True, Input Mdl	Yes	N/R	No
1771-IGD		16 TTL Input, User Selectable High True/Low True, Input Mdl	Yes	N/R	No
1771-IJ		TTL, 5Vdc, Encoder/Counter Module	Yes	N/R	No
1771-IK		12-24Vdc, Encoder/Counter Module	Yes	N/R	No
1771-IL	C	8 Differential, 12 Bit, 1000V Isolation Analog Input Module	Yes	N/R	No
1771-ILK	C	Conformal Coated, 8 Dif, 12 Bit, 1kV Iso Analog Input Module	Yes	N/R	No
1771-IM		8 Input, 220V/240Vac/DC, Input Module	Yes	Yes	No
1771-IMD	B	Input Module, 220Vac, 16 Input	Yes	Yes	No
1771-IQ	B	8 Input, 5-30Vdc, Selectable, Input Module	Yes	N/R	No
1771-IQ16	B	24Vdc, Isolated, Input Module	Yes	N/R	No
1771-IQ16K	B	Conformal Coated, 24Vdc, Isolated, Input Module	Yes	N/R	No
1771-IR	C	3-Wire RTD, Input Module	Yes	N/R	Yes
1771-IRK	C	Conformal Coated, 3-Wire RTD, Input Module	Yes	N/R	No
1771-IS		72 Input, 5Vdc, Multiplexed, Input Module	Yes	N/R	No
1771-IT		8 Input, 12-24Vdc, Fast Response Input Module	Yes	N/R	No
1771-IVN	C	32 Input, 10-30Vdc, Low-True, Input Module	Yes	N/R	No
1771-IXE	C	8 Input, Thermocouple/mV, Type E/J/K/R/S/T, Input Module	Yes	N/R	No
1771-IXEK	C	Conformal Coated, 8 Input, Type E/J/K/R/S/T, Input Module	Yes	N/R	No
1771-IXHR	B	8 Input, High Resolution, Type B/E/J/K/R/S/T, Input Module	Yes	N/R	No
1771-M1		Stepper Motor Controller Module	Yes	N/R	No
1771-M3		Servo Controller Module	Yes	N/R	No
1771-NB4S	B	2 4-20ma Src In, 2 4-20ma Out, High Res Isolated Analog Mdl	Yes	N/R	No
1771-NB4T	B	2 TC/mV In, 2 4-20ma Out, High Res Isolated Analog Module	Yes	N/R	No
1771-NBRC	B	6 RTD In, 2 4-20ma Out, High Resolution Isolated Analog Mdl	Yes	N/R	No
1771-NBSC	B	6 4-20ma Src In, 2 4-20ma Out, High Res Isolated Analog Mdl	Yes	N/R	No
1771-NBTC	B	6 TC/mV In, 2 4-20ma Out, High Res Isolated Analog Module	Yes	N/R	No
1771-NBV1	B	6 ±10V In, 2 ±10V Out, High Res Isolated Analog Module	Yes	N/R	No
1771-NBVC	B	6 ±5V (4-20ma) In, 2 4-20ma Out, High Res Iso Analog Mdl	Yes	N/R	No
1771-NIS	B	8 Sourcing 4-20ma In, High Resolution Isolated Analog Mdl	Yes	N/R	No
1771-NIV	B	8 ±5v (4-20ma) In, High Resolution Isolated Analog Module	Yes	N/R	No
1771-NIV1	B	8 ±10v In, High Resolution Isolated Analog Module	Yes	N/R	No
1771-NIVR	B	4 ±5v(4-20ma) In, 4 RTD In, High Res Isolated Analog Module	Yes	N/R	No
1771-NIVT	B	4 ±5v(4-20ma) In, 4 TC/mV In, High Res Isolated Analog Mdl	Yes	N/R	No
1771-NOC	B	8 4-20ma Out, High Resolution Isolated Analog Module	Yes	N/R	No
1771-NOV	B	8 ±10v Out, High Resolution Isolated Analog Module	Yes	N/R	No
1771-NR	B	8 RTD In, High Resolution Isolated Analog Module	Yes	N/R	No
1771-NT1	B	8 TC/mV In, High Resolution Isolated Analog Module	Yes	N/R	No

<sup>1</sup> Products of the series level shown, or higher, are certified to the directives noted. If no series number is given, then all series are covered.

<sup>2</sup> No = Product is not certified to this directive.

Yes = Product is certified to this directive.

N/R = This directive is not required for this product (falls below applicable voltage levels).

Catalogue number	Series <sup>1</sup>	Description	Directive <sup>2</sup>		
			EMC	LVD	ATEX
1771-NT2	B	8 TC/-5 To +55mV In, High Resolution Isolated Analog Mdl	Yes	N/R	No
1771N-zzzzzzzz*	B	"Build to Order" Analog Module	Yes	N/R	No
1771-OAD	B	16 Output, 120Vac, Output Module	Yes	Yes	No
1771-OADK	B	Conformal Coated, 16 Output, 120Vac, Output Module	Yes	Yes	No
1771-OAN		32 Output, 120Vac, Output Module	Yes	Yes	No
1771-OB	C	8 Output, 12-24Vdc, Output Module	Yes	N/R	No
1771-OBDB	C	16 Output, 10/60Vdc, Output Module	Yes	N/R	Yes
1771-OBDBK	C	Conformal Coated, 16 Output, 10/60Vdc, Output Module	Yes	N/R	Yes
1771-OBDS	B	10-20Vdc, Current Limiting Output Module	Yes	N/R	Yes
1771-OBDSK	B	Conformal Coated, 10-20Vdc, Current Limiting Output Mdl	Yes	N/R	No
1771-OBN	B	32 Output, 10-30Vdc, High-True Output Module	Yes	N/R	No
1771-OBNK	B	Conformal Coated, 32 Output, 10-30Vdc, Hi-True Output Mdl	Yes	N/R	No
1771-OC	C	8 Output, 48Vdc, Output Module	Yes	N/R	No
1771-OD16		120Vac, Isolated Output Module	Yes	Yes	No
1771-OD16K		Conformal Coated, 120Vac, Isolated Output Module	Yes	Yes	No
1771-ODD		16 Output, 120Vac, Isolated Output Module	Yes	Yes	No
1771-ODDK		Conformal Coated, 16 Output, 120Vac, Isolated Output Mdl	Yes	Yes	No
1771-OEM1		Intelligent HW Platform Module	Yes	N/R	No
1771-OFE1	B	4 Differential Voltage Out, 12 Bit, 1kV Iso, Analog Output Mdl	Yes	N/R	Yes
1771-OFE1K	B	Conformal Coated, 4 Differential, 12 Bit, 1kV, Analog Out Mdl	Yes	N/R	No
1771-OFE2	B	4 Differential, 1kV Iso, 4-20ma, 12 Bit, Analog Output Mdl	Yes	N/R	Yes
1771-OFE2K	B	Conformal Coated, 4 Dif, 1kV, 4-20ma, Analog Output Mdl	Yes	N/R	No
1771-OFE3	B	4 Differential, 1kV Iso, 0-50ma, 12 Bit, Analog Output Mdl	Yes	N/R	Yes
1771-OG		8 TTL Output, User Selectable High/Low True, Output Module	Yes	N/R	No
1771-OGD	B	16 TTL Output, User Selectable High/Low True, Output Mdl	Yes	N/R	No
1771-OJ		Pulse Output Expander module	Yes	N/R	No
1771-OM		8 Driver/Source Output, 220/240Vac, Output Module	Yes	Yes	No
1771-OMD	B	16 Output, 220Vac, Output Module	Yes	Yes	No
1771-OND	B	16 Output, 24Vac, Output Module	Yes	N/R	No
1771-OQ	B	8 Output, 24Vdc, Isolated (4 Groups) Output Module	Yes	N/R	No
1771-OQ16	B	24Vdc, Isolated Output Module	Yes	N/R	No
1771-OQ16K	B	Conformal Coated, 24Vdc, Isolated Output Module	Yes	N/R	No
1771-OR		6 Outputs, 220Vac, Isolated Output Module	Yes	Yes	No
1771-OVN	B	32 Outputs, 10-30Vdc, Low-True, Output Module	Yes	N/R	No
1771-OW		8 No/NC Selectable Contact Output Module	Yes	Yes	No
1771-OW16	B	16 Point (8 No, 8 Selectable) Isolated Contact Output Module	Yes	Yes	No
1771-OW16K	B	Conformal Coated, 16 Point Isolated Contact Output Module	Yes	Yes	No
1771-OWK		Conformal Coated, 8 No/NC Selectable Contact Output Mdl	Yes	Yes	No
1771-OWN		32 Point, Selectable Contact Output Module	Yes	Yes	No
1771-OWNA		32 Point (Normally Open), Contact Output Module	Yes	Yes	No
1771-OYL		0-24V, Reed Relay Contact Output Module	Yes	N/R	No
1771-OZL		0-24V, Reed Relay Contact Output Module	Yes	N/R	No
1771-OZLK		Conformal Coated, 0-24V, Reed Relay Contact Output Module	Yes	N/R	No
1771-P4R	C	Slot Power Supply, Redundant, 8A, 120Vac	Yes	Yes	No

\* This is a "Build to Order" product where the final suffix may contain various combinations of numbers and letters.

<sup>1</sup> Products of the series level shown, or higher, are certified to the directives noted. If no series number is given, then all series are covered.

<sup>2</sup> No = Product is not certified to this directive.

Yes = Product is certified to this directive.

N/R = This directive is not required for this product (falls below applicable voltage levels).

Catalogue number	Series <sup>1</sup>	Description	Directive <sup>2</sup>		
			EMC	LVD	ATEX
1771-P4RK	C	Conformal Coated, Slot Power Supply, Redundant, 8A, 120Vac	Yes	Yes	No
1771-P4S	B	Slot Power Supply, 8A, 120Vac	Yes	Yes	No
1771-P4S1	B	Slot Power Supply, 8A, 100Vac	Yes	Yes	No
1771-P4SK	B	Conformal Coated, Slot Power Supply, 8A, 120Vac	Yes	Yes	No
1771-P5E	B	Slot Power Supply, 8A, 24Vdc	Yes	N/R	Yes
1771-P5EK	B	Conformal Coated, Slot Power Supply, 8A, 24Vdc	Yes	N/R	No
1771-P6R	C	Slot Power Supply, Redundant, 8A, 220Vac	Yes	Yes	No
1771-P6S	B	Slot Power Supply, 8A, 220Vac	Yes	Yes	No
1771-P6S1	B	Slot Power Supply, 8A,220Vac	Yes	Yes	No
1771-P7	C	Power Supply, 16A, 120/220Vac	Yes	Yes	No
1771-P7K	C	Conformal Coated, Power Supply, 16A, 120/220Vac	Yes	Yes	No
1771-PSC		4 Slot Power Supply Chassis	Yes	N/R	No
1771-QA		Stepper Motor Positioning Assembly w/1771-OJ & M1	Yes	N/R	No
1771-QC		Servo Positioning Assembly, Encoder Feedback w/1771-ES/M3	Yes	N/R	No
1771-SDN	B	2-Channel DeviceNet Scanner Module	Yes	N/R	No
1771-SIM		8 Point Discrete Input/Output Simulator Module	Yes	N/R	No
1771-SN	B	Sub I/O Scanner Module	Yes	N/R	No
1771-TCM	C	Temperature Control Module	Yes	N/R	No
1771-TCMR		RTD Temp Control Module	Yes	N/R	No
1771-VHSC	B	Very High Speed Counter Module	Yes	N/R	No
1771-VHSCK	B	Conformal Coated, Very High Speed Counter Module	Yes	N/R	No
1771-WS	B	Single Vessel, 0-30mv, Weigh Scale Module	Yes	N/R	No
1785-BCM	C	PLC-5 Back-Up Communications Module	Yes	N/R	No
1785-BEM	B	PLC-5 Backup Communications Expansion Module	Yes	N/R	No
1785-CHBM		ControlNet 1.5 Hot Backup Memory Cartridge	Yes	N/R	No
1785-ENET		PLC-5 Ethernet Interface Module	Yes	N/R	Yes
1785-KA		Data Hwy/Data Hwy Plus Interface Module	Yes	N/R	No
1785-KA5	B	Communication Module Data Hwy Plus To Data Hwy 485	Yes	N/R	No
1785-KA5P	B	Communication Module, Panel Mount DH+ To DH-405	Yes	Yes	No
1785-KE	C	Data Hwy Plus RS-232C Interface Module	Yes	N/R	Yes
1785-L11B	D	PLC-5/11 Controller, 8k Word SRAM	Yes	N/R	No
1785-L20B	D	PLC-5/20 Controller, 16k Word SRAM	Yes	N/R	No
1785-L20BK	D	Conformal Coated, PLC-5/20 Controller, 16k Word SRAM	Yes	N/R	No
1785-L20C	D	PLC-5/20C For ControlNet Phase 1.25	Yes	N/R	Yes
1785-L20C15	D	PLC-5/20C For ControlNet Phase 1.5	Yes	N/R	Yes
1785-L20E	D	Ethernet PLC-5/20 Controller, 16k Word SRAM	Yes	N/R	No
1785-L26B	D	Protected PLC-5/20 Controller, 16k Word SRAM	Yes	N/R	No
1785-L30B	D	PLC-5/30 Controller, 32k Word SRAM	Yes	N/R	No
1785-L40B	D	PLC-5/40 Controller, 48k Word SRAM	Yes	N/R	Yes
1785-L40BK	D	Conformal Coated, PLC-5/40 Controller, 48k Word SRAM	Yes	N/R	No
1785-L40C	D	PLC-5/40C For ControlNet Phase 1.25	Yes	N/R	Yes
1785-L40C15	D	PLC-5/40C For ControlNet Phase 1.5	Yes	N/R	Yes
1785-L40E	D	Ethernet PLC-5/40 Controller, 48k Word SRAM	Yes	N/R	Yes
1785-L40L	D	Extended Local PLC5/40, 48k Word SRAM	Yes	N/R	No
1785-L46B	D	Protected PLC-5/40 Controller, 48k Word SRAM	Yes	N/R	No
1785-L46C15	E	Protected ControlNet PLC-5/40 Controller, 48k Word	Yes	N/R	No

<sup>1</sup> Products of the series level shown, or higher, are certified to the directives noted. If no series number is given, then all series are covered.

<sup>2</sup> No = Product is not certified to this directive.

Yes = Product is certified to this directive.

N/R = This directive is not required for this product (falls below applicable voltage levels).

Catalogue number	Series <sup>1</sup>	Description	Directive <sup>2</sup>		
			EMC	LVD	ATEX
1785-L46L	D	Protected Local PLC5/40, 48k Word SRAM	Yes	N/R	No
1785-L60B	D	PLC-5/60 Controller, 64k Word SRAM	Yes	N/R	No
1785-L60C	D	PLC-5/60C For ControlNet Phase 1.25	Yes	N/R	No
1785-L60C15	D	PLC-5/60C For ControlNet Phase 1.5	Yes	N/R	No
1785-L60L	D	Extended Local PLC-5/60 Controller, 64k Word SRAM	Yes	N/R	No
1785-L80B	D	PLC-5/80 Controller, 100k Word SRAM	Yes	N/R	No
1785-L80BK	D	Conformal Coated, PLC-5/80 Controller, 100k Word SRAM	Yes	N/R	No
1785-L80C	D	PLC-5/80C For ControlNet Phase 1.25	Yes	N/R	No
1785-L80C15	D	PLC-5/80C For ControlNet Phase 1.5	Yes	N/R	Yes
1785-L80E	D	Ethernet PLC-5/80 Controller, 100k Word SRAM	Yes	N/R	No
1785-L86B	D	Protected PLC-5/80 Controller, 100k Word SRAM	Yes	N/R	No
1785-M100		PLC-5/80 EEPROM Memory Cartridge, 100k	Yes	N/R	No
1785-M100K		Conformal Coated 5/80 128 KWord EEPROM	Yes	N/R	No
1785-ME16		PLC-5/11/20 24k EEPROM Cartridge, A/J, B/F, C/C or above	Yes	N/R	No
1785-ME16K		Conformal Coated PLC-5/11/20 24k EEPROM Cartridge	Yes	N/R	No
1785-ME32		PLC-5/30 40k EEPROM Cartridge, A/J, B/F, C/C Or above	Yes	N/R	No
1785-ME32K		Conformal Coated PLC-5/30 40k EEPROM Cartridge	Yes	N/R	No
1785-ME64		PLC-5/40/60 72k EEPROM Cartridge, A/J, B/F, C/C Or above	Yes	N/R	No
1785-ME64K		Conformal Coated PLC-5/40/60 72k EEPROM Cartridge	Yes	N/R	No
1785-NEX		Nexus Communications Module	Yes	N/R	No
1785-O5E		PLC5 802.3 OSI Interface	Yes	N/R	No
1785-PFB	B	ProfiBus Scanner Module	Yes	N/R	No
1785-RC		Specialized 120Vac Relay Cartridge	Yes	Yes	No
1897-NOV		Fast Analog Voltage Output Module	Yes	N/R	No
2760-RB		Flexible Interface Analog Input Module	Yes	N/R	No
6690-DS2	C	DS+/A/S-2Ch Communications Module	Yes	N/R	No

<sup>1</sup> Products of the series level shown, or higher, are certified to the directives noted. If no series number is given, then all series are covered.

<sup>2</sup> No = Product is not certified to this directive.

Yes = Product is certified to this directive.

N/R = This directive is not required for this product (falls below applicable voltage levels).